

A CutEr Tool

Kostis Sagonas

Overview

- Testing
 - demo: unit, property-based, and concolic testing in Erlang
- Concolic execution for Erlang
 - demo
- Support for type specifications
 - short demo
- **CutEr: A Concolic Unit Testing tool for Erlang**
- A “real” experience from using CutEr
 - short demo
- Concluding remarks & future work

Testing

- Testing is important
- Unit testing is the most widely used method

Tools: xUnit, EUnit

- Functional languages have mainly explored variants of property-based random testing

Tools: Haskell QuickCheck, EQC, PropEr, Triq, ...

Demo time!

A first example

- A program unit:

```
classify(L) ->
    case lists:sum(L) of
        S when S < 17 -> small;
        S when S < 4711 -> medium;
        S when S > 4711 -> large ;
        _ -> erlang:error(badmatch)
    end.
```

A function that classifies a list of numbers

- In general, one can use pattern matching as a powerful mechanism for program assertions

[42,x,x|_] = f(...)

Testing

- In imperative languages, researchers have argued for the benefits of **concolic testing**
 - Fully automatic testing approach
 - **Concolic = Concrete + Symbolic**
 - Aims to achieve high path coverage
- Tools: DART, CUTE, Symbolic Java PathFinder, jCUTE, SAGE, ...

Concolic execution

- Also known as **dynamic symbolic execution**
- **Main idea:**
 - during concrete execution, collect symbolic constraints on program inputs that cause the program to follow a specific execution path and
 - use these constraints to force execution of other paths
- **Properties/advantages:**
 - concrete execution makes available accurate information about program state which may not be easily accessible when using e.g. random testing or static analysis techniques

Implementation of concolic execution

- Symbolic execution is enabled by instrumenting the program with code that collects *path constraints* without disrupting its concrete execution
- Each variable that depends on input has both a concrete and a symbolic value associated to it
- Path constraints are expressed in an appropriate logic
- Off-the-shelf constraint solvers, often SMT ones, are used to solve these constraints and generate new inputs that will steer the future test runs to explore unexplored paths
- The execution paths can be expressed as a *symbolic execution tree*
 - each leaf node has a path constraint describing the input values that force the program to follow that specific path

A second example

```
-module(example).
-export([foo/1]).  
  
foo(L) ->
    lists:foreach(fun fcmp/1, L).  
  
fcmp(X) ->
    case cmp(X) of
        gt -> ok;
        lt -> ok
    end.  
  
cmp(X) when X > 42 -> gt;
cmp(42) -> eq;
cmp(X) when X < 42 -> lt.
```


Demo time!

Second example in Core Erlang

```
module example [foo/1] =  
    foo/1 = fun (_cor0) ->  
        call lists:foreach (fcmp/1, _cor0)  
  
    fcmp/1 = fun (_cor0) ->  
        case <apply cmp/1 (_cor0)> of  
            <gt>    when true -> ok  
            <lt>    when true -> ok  
            <_cor1> when true -> FAIL  
        end  
  
    cmp/1 = fun (_cor0) ->  
        case <_cor0> of  
            <>      when call erlang:>'> (_cor0, 42) -> gt  
            <42>    when true                         -> eq  
            <>      when call erlang:'<'> (_cor0, 42) -> lt  
            <_cor1> when true                         -> FAIL  
        end
```


Control flow graphs of functions

```
module example [foo/1] =  
  foo/1 = fun (_cor0) ->  
    call lists:foreach (fcmp/1, _cor0)  
  
  fcmp/1 = fun (_cor0) ->  
    case <apply cmp/1 (_cor0)> of  
      <gt> when true -> ok  
      <lt> when true -> ok  
      <_cor1> when true -> FAIL  
    end  
  
  cmp/1 = fun (_cor0) ->  
    case <_cor0> of  
      <X> when call erlang:>> (_cor0, 42) -> gt  
      <42> when true -> eq  
      <X> when call erlang:<< (_cor0, 42) -> lt  
      <_cor1> when true -> FAIL  
    end
```



Control flow graphs of functions

```
module lists [..., foreach/2, ...] =  
...  
foreach/2 = fun (_cor1,_cor0) ->  
  case <_cor1,_cor0> of  
    {F,[H|T]} when true ->  
      do apply F (H)  
        apply foreach/2 (F, T)  
    {F,[]} when call erlang:is_function (_cor0, 1) -> ok  
    {_cor3,_cor2} when true  
  end  
...
```



$L \mapsto [17] ; L$

$L \mapsto [17] ; L$

$X \mapsto 17 ; \text{hd}(L)$

$X \mapsto 17 ; \text{hd}(L)$

$X \mapsto 17 ; \text{hd}(L)$



$Y \mapsto \text{lt}$

$Y \mapsto \text{lt}$

$L \mapsto [] ; \text{t1}(L)$

$L \mapsto [] ; \text{t1}(L)$

$F \mapsto \text{fcmp}/1$



$L \mapsto [17] ; L$

$L \mapsto [17] ; L$

$X \mapsto 17 ; \text{hd}(L)$

$X \mapsto 17 ; \text{hd}(L)$

$X \mapsto 17 ; \text{hd}(L)$


$Y \mapsto \text{lt}$

$Y \mapsto \text{lt}$

$L \mapsto [] ; \text{t1}(L)$

$L \mapsto [] ; \text{t1}(L)$

$F \mapsto \text{fcmp}/1$



Search strategy

- Which decision node to reverse?
- We use two metrics:
 - If a decision node exists whose reversed (red) label has not yet been visited, reverse it
 - Else reverse the decision node which is closer to the root
- Stop when there are no decision nodes left to reverse

Depth-bounded search

- Depth counts **case** constructs that precede the decision node
- All constraints related to patterns and guards of a specific **case** construct are considered to be at the same depth
- Prune decision nodes whose depth exceeds a threshold

Support for type specifications

- Type specifications impose additional constraints on program inputs
- For the first demo program:

```
-type ret() :: 'small' | 'medium' | 'large'.  
-spec classify([number()]) -> ret().
```

- For the second demo program:

```
-spec foreach(fun((T) -> term()), [T]) -> ok.  
-spec foo([term()]) -> ok.  
-spec foo([integer()]) -> ok.
```

Demo time!

The first example with some twists

- A program unit:

```
classify(L) when length(L) < 4 -> tiny;
classify(L) ->
    case lists:foldl(fun erlang:'+'/2, 0, L) of
        S when S < 17 -> small;
        S when S < 4711 -> medium;
        S when S > 4711 -> large
    end.
```

A function that classifies a list of numbers

One more twist

- A program unit:

```
classify(_, L) when length(L) < 4 -> tiny;
classify(F, L) ->
    case lists:foldl(F, 0, L) of
        S when S < 17 -> small;
        S when S < 4711 -> medium;
        S when S > 4711 -> large
    end.
```

A function that classifies a list of numbers

CutEr

- Available on GitHub:
<https://github.com/aggelgian/cuter>
- Support for Erlang/OTP 17.x or higher

Current known limitations:

- No symbolic execution for many BIFs
- Does not support maps yet
- Support for recursive types is still incomplete

A bigger unit to test

- A post in the erlang-bugs mailing list:

<http://erlang.org/pipermail/erlang-bugs/2015-May/004944.html>

- Module `otp_internal` from Erlang/OTP 18.0-rc1

https://github.com/erlang/otp/blob/OTP-18.0-rc1/lib/stdlib/src/otp_internal.erl

[erlang-bugs] Crash on compile with deprecated functions (18-rc1) - Google Chrome

[erlang-bugs] Crash o x

erlang.org/pipermail/erlang-bugs/2015-May/004944.html

[erlang-bugs] Crash on compile with deprecated functions (18-rc1)

Loïc Hoguin <essen@ninenines.eu>

Sat May 2 17:11:30 CEST 2015

- Previous message: [\[erlang-bugs\] FreeBSD FPE issue on ERTS_FP_CHECK_INIT Re: ERTS_FP_CHECK_INIT error of HiPE in 18.0-rc1 running on FreeBSD 10.1-STABLE](#)
- Next message: [\[erlang-bugs\] Crash on compile with deprecated functions \(18-rc1\)](#)
- **Messages sorted by:** [\[date \]](#) [\[thread \]](#) [\[subject \]](#) [\[author \]](#)

Hello,

Some of my applications don't compile anymore because they have the
ssl:negotiated_next_protocol instead of negotiated_protocol.

Problem is there is a crash instead of a nice error:

```
src/gun.erl: internal error in lint_module;
crash reason: {case_clause,{deprecated,{ssl,negotiated_protocol}}}

in function  otp_internal:obsolete/3 (otp_internal.erl, line 33)
in call from erl_lint:deprecated_function/5 (erl_lint.erl, line 3551)
in call from erl_lint:check_remote_function/5 (erl_lint.erl, line 3527)
in call from erl_lint:expr/3 (erl_lint.erl, line 2166)
in call from erl_lint:expr/3 (erl_lint.erl, line 2111)
in call from erl_lint:expr/3 (erl_lint.erl, line 2250)
in call from erl_lint:exprs/3 (erl_lint.erl, line 2044)
in call from erl_lint:icrt_clause/3 (erl_lint.erl, line 3029)
```

Final demos!

Concluding remarks

- This presentation:
 - Concolic testing for the “functional” subset of Erlang
 - CutEr: a tool that implements this approach
<https://github.com/aggelgian/cuter>
- Future Work
 - Better search strategies
 - Experiment with more SMT solvers
 - Handle concurrency



Thanks!